

Quiz: Token Lifecycle

Instructions: 10 multiple choice questions — Select the best answer — Answers revealed after each question

Quiz (1–5)

Q1. Which minting strategy is most gas-efficient for 10,000 addresses?

- A) Mapping allowlist B) Array allowlist C) Merkle tree D) Owner approval

Quiz (1-5)

Q1. Which minting strategy is most gas-efficient for 10,000 addresses?

- A) Mapping allowlist B) Array allowlist C) Merkle tree D) Owner approval

Answer: C – Merkle tree stores single 32-byte root instead of 10,000 addresses.

Q2. What does delegatecall do in a proxy pattern?

- A) Transfers ownership B) Executes logic in proxy's storage C) Creates new contract D) Sends ETH

Quiz (1-5)

Q1. Which minting strategy is most gas-efficient for 10,000 addresses?

- A) Mapping allowlist B) Array allowlist C) Merkle tree D) Owner approval

Answer: C – Merkle tree stores single 32-byte root instead of 10,000 addresses.

Q2. What does delegatecall do in a proxy pattern?

- A) Transfers ownership B) Executes logic in proxy's storage C) Creates new contract D) Sends ETH

Answer: B – delegatecall runs implementation code using proxy's storage context.

Q3. Which burn mechanism has the highest price impact?

- A) Fee burn B) Voluntary burn C) Buyback and burn D) Governance burn

Quiz (1–5)

Q1. Which minting strategy is most gas-efficient for 10,000 addresses?

- A) Mapping allowlist B) Array allowlist C) Merkle tree D) Owner approval

Answer: C – Merkle tree stores single 32-byte root instead of 10,000 addresses.

Q2. What does delegatecall do in a proxy pattern?

- A) Transfers ownership B) Executes logic in proxy's storage C) Creates new contract D) Sends ETH

Answer: B – delegatecall runs implementation code using proxy's storage context.

Q3. Which burn mechanism has the highest price impact?

- A) Fee burn B) Voluntary burn C) Buyback and burn D) Governance burn

Answer: C – Buyback creates buy pressure before burning.

Q4. What is the main risk of the Ownable pattern?

- A) Too many admins B) Single point of failure C) High gas costs D) Slow execution

Quiz (1–5)

Q1. Which minting strategy is most gas-efficient for 10,000 addresses?

- A) Mapping allowlist B) Array allowlist C) Merkle tree D) Owner approval

Answer: C – Merkle tree stores single 32-byte root instead of 10,000 addresses.

Q2. What does delegatecall do in a proxy pattern?

- A) Transfers ownership B) Executes logic in proxy's storage C) Creates new contract D) Sends ETH

Answer: B – delegatecall runs implementation code using proxy's storage context.

Q3. Which burn mechanism has the highest price impact?

- A) Fee burn B) Voluntary burn C) Buyback and burn D) Governance burn

Answer: C – Buyback creates buy pressure before burning.

Q4. What is the main risk of the Ownable pattern?

- A) Too many admins B) Single point of failure C) High gas costs D) Slow execution

Answer: B – Owner key compromise gives attacker full control.

Q5. In a 3-of-5 multi-sig, how many approvals are needed?

- A) 2 B) 3 C) 4 D) 5

Quiz (1-5)

Q1. Which minting strategy is most gas-efficient for 10,000 addresses?

- A) Mapping allowlist B) Array allowlist C) Merkle tree D) Owner approval

Answer: C – Merkle tree stores single 32-byte root instead of 10,000 addresses.

Q2. What does delegatecall do in a proxy pattern?

- A) Transfers ownership B) Executes logic in proxy's storage C) Creates new contract D) Sends ETH

Answer: B – delegatecall runs implementation code using proxy's storage context.

Q3. Which burn mechanism has the highest price impact?

- A) Fee burn B) Voluntary burn C) Buyback and burn D) Governance burn

Answer: C – Buyback creates buy pressure before burning.

Q4. What is the main risk of the Ownable pattern?

- A) Too many admins B) Single point of failure C) High gas costs D) Slow execution

Answer: B – Owner key compromise gives attacker full control.

Q5. In a 3-of-5 multi-sig, how many approvals are needed?

- A) 2 B) 3 C) 4 D) 5

Answer: B – 3-of-5 means 3 signatures required out of 5 total owners.

Q6. What is the purpose of a timelock in governance?

- A) Speed up execution B) Allow community reaction and exit C) Reduce gas D) Increase voting

Q6. What is the purpose of a timelock in governance?

- A) Speed up execution B) Allow community reaction and exit C) Reduce gas D) Increase voting

Answer: B – Timelock delays critical actions so users can exit if disagreeing.

Q7. Which deflationary mechanism is used by Ethereum (EIP-1559)?

- A) Voluntary burn B) Transaction fee burn C) Buyback burn D) Governance burn

Q6. What is the purpose of a timelock in governance?

- A) Speed up execution B) Allow community reaction and exit C) Reduce gas D) Increase voting

Answer: B – Timelock delays critical actions so users can exit if disagreeing.

Q7. Which deflationary mechanism is used by Ethereum (EIP-1559)?

- A) Voluntary burn B) Transaction fee burn C) Buyback burn D) Governance burn

Answer: B – Base fees are burned automatically, reducing ETH supply.

Q8. What happens when a contract calls `renounceOwnership()`?

- A) Transfers to 0x0 B) Contract becomes unmanaged C) All tokens burn D) Contract pauses

Q6. What is the purpose of a timelock in governance?

- A) Speed up execution B) Allow community reaction and exit C) Reduce gas D) Increase voting

Answer: B – Timelock delays critical actions so users can exit if disagreeing.

Q7. Which deflationary mechanism is used by Ethereum (EIP-1559)?

- A) Voluntary burn B) Transaction fee burn C) Buyback burn D) Governance burn

Answer: B – Base fees are burned automatically, reducing ETH supply.

Q8. What happens when a contract calls `renounceOwnership()`?

- A) Transfers to 0x0 B) Contract becomes unmanaged C) All tokens burn D) Contract pauses

Answer: B – `renounceOwnership()` irreversibly removes admin control.

Q9. Which stablecoin is NOT pausable?

- A) USDC B) USDT C) DAI D) BUSD

Quiz (6–10)

Q6. What is the purpose of a timelock in governance?

- A) Speed up execution B) Allow community reaction and exit C) Reduce gas D) Increase voting

Answer: B – Timelock delays critical actions so users can exit if disagreeing.

Q7. Which deflationary mechanism is used by Ethereum (EIP-1559)?

- A) Voluntary burn B) Transaction fee burn C) Buyback burn D) Governance burn

Answer: B – Base fees are burned automatically, reducing ETH supply.

Q8. What happens when a contract calls `renounceOwnership()`?

- A) Transfers to 0x0 B) Contract becomes unmanaged C) All tokens burn D) Contract pauses

Answer: B – `renounceOwnership()` irreversibly removes admin control.

Q9. Which stablecoin is NOT pausable?

- A) USDC B) USDT C) DAI D) BUSD

Answer: C – DAI is fully decentralized and cannot be paused or frozen.

Q10. Where is state stored in a Transparent Proxy pattern?

- A) Implementation contract B) Proxy contract C) Both contracts D) External storage

Quiz (6–10)

Q6. What is the purpose of a timelock in governance?

- A) Speed up execution B) Allow community reaction and exit C) Reduce gas D) Increase voting

Answer: B – Timelock delays critical actions so users can exit if disagreeing.

Q7. Which deflationary mechanism is used by Ethereum (EIP-1559)?

- A) Voluntary burn B) Transaction fee burn C) Buyback burn D) Governance burn

Answer: B – Base fees are burned automatically, reducing ETH supply.

Q8. What happens when a contract calls `renounceOwnership()`?

- A) Transfers to 0x0 B) Contract becomes unmanaged C) All tokens burn D) Contract pauses

Answer: B – `renounceOwnership()` irreversibly removes admin control.

Q9. Which stablecoin is NOT pausable?

- A) USDC B) USDT C) DAI D) BUSD

Answer: C – DAI is fully decentralized and cannot be paused or frozen.

Q10. Where is state stored in a Transparent Proxy pattern?

- A) Implementation contract B) Proxy contract C) Both contracts D) External storage

Answer: B – Storage lives in proxy; implementation is stateless logic.