

# Lesson 39: Word Embeddings


Data Science with Python – BSc Course

Data Science Program

BSc Course

45 Minutes

## Previously: Turning Text into Numbers



**L38 gave us numbers, but:** "stock" and "equity" are treated as completely unrelated. Can we do better?

---

BOW and TF-IDF count words but ignore that synonyms share meaning

# Learning Objectives

**The Problem:** Bag of Words treats every word as independent – “king” and “queen” are as different as “king” and “banana”. How do we capture the MEANING of words numerically?

**After this lesson, you will be able to:**

1. **Explain** why dense embeddings beat sparse word counts (Remember)
2. **Compare** Word2Vec architectures: Skip-gram vs CBOW (Understand)
3. **Use** pre-trained Word2Vec and GloVe via gensim (Apply)
4. **Evaluate** word similarity and analogies in financial context (Analyze)

---

**Finance Application: Semantic search in financial documents, similar company detection**

**king** – **man** + **woman** = ?

The most famous equation in NLP:

$$\vec{\text{king}} - \vec{\text{man}} + \vec{\text{woman}} \approx \vec{\text{queen}}$$

**What does this mean?**

- Words are represented as vectors (lists of numbers)
- Vector arithmetic captures semantic relationships
- The “royalty” direction is preserved when you swap gender

**Finance version:**

$$\vec{\text{Apple}} - \vec{\text{technology}} + \vec{\text{banking}} \approx \vec{\text{JPMorgan}}$$

How can simple vectors capture such rich meaning?


---

This slide's equation launched a revolution in how we represent language

# What IS a Word Embedding?

## GPS Coordinates for Words:

- GPS gives every location a coordinate (latitude, longitude)
- Embeddings give every word a coordinate in “meaning space”
- Similar words = nearby coordinates




---

Embedding = a dense vector that encodes a word's meaning as coordinates

# Sparse vs Dense: Why Embeddings Win

**BOW/TF-IDF:** 50,000D, mostly zeros, no synonym similarity

**Embeddings:** 100–300D, every value meaningful, similar words = similar vectors




---

Dense beats sparse: smaller, faster, and captures synonymy

# 2D Embedding Visualization

## Word Clusters in Semantic Space

- Similar words cluster together (financial terms, emotions, etc.)
- Semantic relationships preserved as geometric relationships
- t-SNE reduces 300D vectors to 2D for visualization




t-SNE projection reveals semantic structure in embedding space

# Word Similarity Matrix

## Measuring Semantic Relatedness

- Cosine similarity between word vectors quantifies relatedness
- “stock” and “equity” = high similarity; “stock” and “banana” = low
- Used for: synonym detection, search, recommendation



Cosine similarity:  $\cos(\theta) = \frac{\vec{a} \cdot \vec{b}}{\|\vec{a}\| \|\vec{b}\|}$ . Range  $[-1, 1]$ .

# Word2Vec: You Know a Word by Its Neighbors

**Core Insight (Firth, 1957):** “You shall know a word by the company it keeps.”

- Words appearing in similar contexts get similar vectors
- Word2Vec learns by reading millions of sentences

**Example – what word fits?**

- “The \_\_\_\_\_ rose 5% after earnings” → stock, share, price
- “The \_\_\_\_\_ fell sharply on Monday” → market, index, dollar

**Result:** 100–300 dimensional vectors for every word in vocabulary


---

**Word2Vec:** learn word meaning from context. “Tell me your neighbors, I’ll tell you who you are.”

# Skip-gram: Predict Context from Center

Given center word, predict surrounding words

- Input: "stock" → Output: "The", "rose", "5%"
- Better for rare words and small datasets
- Most popular Word2Vec variant




---

Skip-gram: "Given this word, what words appear nearby?"

# CBOW: Predict Center from Context

Given surrounding words, predict center word

- Input: "The", "rose", "5%" → Output: "stock"
- Faster to train than Skip-gram
- Better for frequent words and large datasets



---

CBOW: "Given context, which word is missing?" – fill-in-the-blank at scale

# Checkpoint: Test Your Understanding

**Q1:** Why are word embeddings better than Bag of Words for measuring word similarity?

**Q2:** What is the difference between Skip-gram and CBOW?

**Q3:** If “stock” and “equity” have cosine similarity 0.85, what does that tell you?

---

**Answers:** Q1: Dense vectors capture synonymy; BOW treats all words as orthogonal. Q2: Skip-gram predicts context from word; CBOW predicts word from context. Q3: Very similar meaning.

# Pre-trained Embeddings: Don't Train From Scratch

## Three major pre-trained models:

- **Word2Vec:** Google News, 3M words, 300D
- **GloVe:** Wikipedia + web text, 400K words, 300D
- **FastText:** Handles out-of-vocabulary words via subwords

## Why use pre-trained?

- Trained on billions of words (you don't have that much data)
- Capture general language knowledge out of the box
- Fine-tune on your domain if needed

## Loading with gensim:

```
import gensim.downloader as api
model = api.load('word2vec-google-news-300')
```

---

Pre-trained embeddings: free, powerful, ready to use. Always start here.

# gensim: Essential Operations

## Get a word vector (300 numbers):

```
vec = model['stock'] # shape: (300,)
```

## Find nearest neighbors:

```
model.most_similar('stock', topn=5)  
→ [('stocks', 0.79), ('equities', 0.72), ('shares', 0.70), ...]
```

## Measure similarity:

```
model.similarity('stock', 'equity') → 0.68  
model.similarity('stock', 'banana') → 0.04
```

## Word analogies:

```
model.most_similar(positive=['king', 'woman'],  
                  negative=['man'], topn=1)  
→ [('queen', 0.71)]
```


---

Four operations: lookup, nearest neighbors, similarity, analogies

# Word Analogies: Vector Arithmetic

## Relationships encoded as vector offsets:

- $\vec{\text{king}} - \vec{\text{man}} + \vec{\text{woman}} \approx \vec{\text{queen}}$
- The “gender” direction is a consistent vector offset
- Works for countries/capitals, tenses, comparatives



Analogy = parallel vector offset. Same direction, different starting point.

# Finance: Sector Analogies

## Financial word analogies reveal industry structure:

- “Apple” – “technology” + “banking”  $\approx$  “JPMorgan”
- “CEO” – “company” + “country”  $\approx$  “president”
- “bull” – “optimism” + “pessimism”  $\approx$  “bear”

### Finance Word Analogies: Vector Arithmetic

bull : bear :: up : down


CEO : company :: captain : ship

dividend : stock :: interest : bond

# Finance: Sector Clusters in Embedding Space


## Sector-related words cluster automatically:

- Banking terms group together (loan, mortgage, deposit)
- Tech terms group together (software, algorithm, cloud)
- Embeddings discover industry structure from raw text



No labels needed – embeddings discover sector structure from co-occurrence

# The Geometry of Meaning



**Key insight:** Distance in vector space  $\approx$  difference in meaning. Related words cluster; unrelated words are far apart.


---

Embedding space organizes words by meaning, not alphabetically

# From Word Vectors to Document Vectors

Three steps to embed a document:

1. **Look up** each word's pre-trained vector (300D)
2. **Average** all word vectors:  $\vec{d} = \frac{1}{n} \sum_{i=1}^n \vec{w}_i$
3. **Use as features** in any classifier (logistic regression, SVM, etc.)



---

Average word vectors = simple but effective document representation

# Document Embedding Pipeline

**Complete code pattern:**

**Step 1 – Embed documents:**

```
def doc_vector(text, model):  
    words = text.lower().split()  
    vecs = [model[w] for w in words if w in model]  
    return np.mean(vecs, axis=0) if vecs else np.zeros(300)
```

**Step 2 – Build feature matrix:**

```
X = np.array([doc_vector(doc, model) for doc in docs])
```

**Step 3 – Classify:**

```
X_train, X_test, y_train, y_test = train_test_split(X, y)  
clf = LogisticRegression().fit(X_train, y_train)  
print(clf.score(X_test, y_test))
```

---

**Advantage over TF-IDF: fixed 300D regardless of vocabulary size, captures synonymy**

# Hands-On Exercise (25 min)

## Task: Explore Financial Word Embeddings


1. Load pre-trained Word2Vec with gensim
2. Find 10 most similar words to “stock”, “risk”, “profit”
3. Test financial analogies: “bull” – “positive” + “negative” = ?
4. Create document vectors for 20 financial news headlines
5. Cluster documents using K-Means on their vectors

**Deliverable:** Similarity results + 2D t-SNE visualization of document clusters.

---

**Extension:** Compare Word2Vec vs GloVe for financial terminology

# Words as Coordinates in Meaning-Space



**The leap:** From “words as IDs” to “words as coordinates in meaning-space.”

---

Embeddings turned NLP from pattern matching into geometry

# Key Takeaways

## What you should remember:

1. **Embeddings = dense vectors** that encode semantic meaning (300D)
2. **Word2Vec** learns from context (Skip-gram or CBOW)
3. **Cosine similarity** measures how related two words are
4. **Pre-trained models** (Word2Vec, GloVe, FastText) are free and powerful

## Connection to Module 8:

- L37 (Preprocessing): clean text before embedding
- L38 (BOW/TF-IDF): sparse baseline; embeddings are the dense upgrade
- L40 (Sentiment): embeddings power better sentiment classifiers

---

**Memory: Embedding = word as numbers. Similar words = similar vectors. Use pre-trained.**

# Preview: Reading Between the Lines

We can now represent words as vectors with meaning.

**Next question:** What **opinion** does the text express?

## Coming in L40 – Sentiment Analysis:

- VADER: rule-based sentiment scoring (fast, no training)
- FinBERT: finance-specific deep learning sentiment
- From text sentiment to trading signals

## Module 8 progression:

Clean Text (L37) → Count Words (L38) → **Meaning** (L39) → Opinion (L40)

---

Next lesson: L40 Sentiment Analysis – when Elon tweets, stocks move